

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2510	310/90.ccls.	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 09:03
L3	1980	l2 and bearing\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/14 09:03
L4	28	l2 and bearing\$3 near span	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/06/14 09:04
L5	1	((JOEL) near2 (MADISON)).INV.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 09:34
L7	1208	290/52.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 09:38
L8	0	l7 and bearing\$3 near span	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 09:46
L9	451	l7 and bearing\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 09:46
L10	575	l7 and (pump or (turbine near generator))	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:45
L11	289	l10 and bearing\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:45
L12	268	l11 and shaft	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:45
L13	130	l12 and thrust\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:47
L14	6	l13 and LNG	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 10:48
L15	718	415/180.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 11:14
L16	216	l15 and improve\$4	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 11:14
L17	157	l16 and bearing\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 11:15

L18	24	"310".clas. and bearing\$3 near (span or distance or length) near (short\$4 or reduce \$3)	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 11:17
L19	58	("3082338" "3164736" "3624434" "3714705" "3726575" "3816782" "3932930" "4286186" "4319150" "4321664" "4340830" "4360749" "4409714" "4547131" "4567390" "4571517" "4620425" "4658107" "4661732" "4711590" "4716326" "4734602" "4757221" "4781726" "4835428" "4858303" "4885440" "4926081" "4958096" "4961016" "4972113" "4972114" "5006743" "5015155" "5079464" "5093592" "5127148" "5153471" "5220226" "5245237" "5278469" "5306973" "5412270" "5430931" "5493158" "5532534"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 11:53

		"5543671" "5550418" "5602436").PN. OR ("6215214"). URPN.				
L20	7	("29".clas. or "290".clas. or "415. clas") and bearing \$3 near (span or distance or length) near (short\$4 or reduce\$3)	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:31
L21	1492	("29".clas. or "290".clas. or "415. clas") and bearing \$3 and shaft and spacer	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:32
L22	1536	("310".clas.) and bearing\$3 and shaft and spacer	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:32
L23	120	("310".clas.) and bearing\$3 and shaft near2 spacer	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:32
L24	43	("310".clas.) and bearing\$3 and shaft and spacer and fiberglass	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:37
L25	58	("29".clas. or "290".clas. or "415. clas") and shaft and spacer and fiberglass	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:42
L26	20	("2829286" "3060335" "3371613" "3443519" "3525001" "3653785" "3932070" "4347442" "4838763" "4890988" "5616973" "5661356" "5704717" "6247702" "6379127").PN. OR ("7265468"). URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/14 12:47

L27	103	("310".clas.) and bearing\$3 and shaft and (spacer OR TUBE OR SLEEVE) and fiberglass	US-PGPUB; USPAT	ADJ	OFF	2008/06/14 12:47
-----	-----	--	-----------------	-----	-----	------------------

6/ 14/ 2008 2:04:48 PM

C:\Documents and Settings\jkim3\My Documents\ EAST\ Workspaces\ motor_12
\ 10776555.wsp